

**CRYSTAL
MATT COLLECTION**

CEMENTO GRIS

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



LAGUN PISTA

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
02

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



ROYAL SICILIA WHITE

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




ROYALE AZUL

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




ROYALE CHOCO

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




ROYALE CREMA

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




ROYALE GREY

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




ROYALE AQUA

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




ROYALE PISTA

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




ROYALE VARDE

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




ROYALE YELLOW

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



SCANTILO WHITE

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



TRILOGY SMOKE GREY

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



VELVET BIANCO

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



VELVET BLUE

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




VELVET BROWN

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



VELVET CREMA

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



VENATO SATVARIO

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




WOODEN CRAFT-25

Dimension :
800X1600MM

Surface
CRYSTAL MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



An abstract geometric design featuring several circles and lines. On the left, there is a large teal circle, a smaller dark grey circle above it, and a smaller light beige circle below it. To the right of these is a large brown circle. Thin black lines form various geometric shapes, including triangles and polygons, some of which are filled with a light grey color. The overall composition is modern and minimalist.

DG
MATT COLLECTION

BURBERRY CREMA

Dimension :
800X1600MM

Surface
DG MATT

Random
04

Thickness
9 MM






CARVIN WHITE

Dimension :
800X1600MM

Surface
DG MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




INFINITE-1004

Dimension :
800X1600MM

Surface
DG MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




INFINITE-1009

Dimension :
800X1600MM

Surface
DG MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




INFINITE-1034

Dimension :
800X1600MM

Surface
DG MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



MAJESTIC

Dimension :
800X1600MM

Surface
DG MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



MAXWELL GREY

Dimension :
800X1600MM

Surface
DG MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



RUBY

Dimension :
800X1600MM

Surface
DG MATT

Random
03

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




SARAH NATURAL

Dimension :
800X1600MM

Surface
DG MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE




SCANTILO WHITE

Dimension :
800X1600MM

Surface
DG MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



SEAFOAM

Dimension :
800X1600MM

Surface
DG MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



SOFT WHITE

Dimension :
800X1600MM

Surface
DG MATT

Random
06

Thickness
9 MM






TRILOGY SMOKE GREY

Dimension :
800X1600MM

Surface
DG MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



WOODEN CRAFT-16

Dimension :
800X1600MM

Surface
DG MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-26

Dimension :
800X1600MM

Surface
DG MATT

Random
04

Thickness
9 MM








ZINC IVORY

Dimension :
800X1600MM

Surface
DG MATT

Random
04

Thickness
9 MM



ANTI SLIP
SURFACE



HYGIENIC
SURFACE



FIRE
RESISTANCE



EASY
MAINTENANCE



HIGH
DURABILITY



WATER
RESISTANCE



- 1 Easy to clean 
- 2 Hygienic / Antibacterial surface 
- 3 Water resistant 
- 4 Impact resistant 
- 5 Frost resistant 
- 6 Scratch resistant 
- 7 Chemical & Stain resistant 
- 8 Fire resistant 

CREATIVE AWAKENING OF DESIGNS



VERSATILE SIZE

Available in the grand size, the collection presents you with a perfect tiling solution to create seamless interiors.



SAFE & SECURE

Non-porous, hygienic, stain and scratch protected, the tiles from this collection are also ice and thermal shock-resistant.



DESIGN VARIETIES

Available across a spectrum of patterns, the collection offers variety for all kinds of spaces and preferences.



MORE SUSTAINABLE

The collection is made from exceptionally durable and recyclable material, giving it an edge with its ecological and eco-friendliness.

TECHNICAL SPECIFICATIONS


CHARACTERISTICS	STANDARD AS PER ISO-13006/EN14411 GROUP BIA	MEAN VALUE OF ROLLSTAR PGVT	MEAN VALUE OF ROLLSTAR GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.6 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER
SURFACE MECHANICAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYDROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0x10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5x10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Doesn't yield Pb & Cd	Doesn't yield Pb & Cd	ISO-10545-15

PACKING DETAILS

Size	Thickness (approx*)	Pieces / Box	Area / Box	Weight / Box (approx*)
1200X1800MM	9MM	2 pcs.	4.32 sq. mtr.	90 kgs.
1200X1200MM	9MM	2 pcs.	2.88 sq. mtr.	60 kgs.
800X1600MM	9MM	2 pcs.	2.56 sq. mtr.	51 kgs.
600X1800MM	9MM	2 pcs.	2.16 sq. mtr.	43 kgs.
750X1500MM	9MM	2 pcs.	2.25 sq. mtr.	44 kgs.
600X1200MM	9MM	2 pcs.	1.44 sq. mtr.	28 kgs.
800X800MM	8.5MM	3 pcs.	1.92 sq. mtr.	37 kgs.

OUR GLOBAL NETWORK

Packing Detail :	
SIZE	800X1600 MM
THICKNESS(APPROX)	9 MM
PCS/BOX	02 PCS
COVERAGE AREA	27.55 SQ FT / 2.56 SQ MTR
WEIGHT(APPROX)	51 KGS.



OUR GLOBAL NETWORK

Packing Detail :	
SIZE	800X1600 MM
THICKNESS(APPROX)	9 MM
PCS/BOX	02 PCS
COVERAGE AREA	27.55 SQ FT / 2.56 SQ MTR
WEIGHT(APPROX)	51 KGS.



**600X
1800MM**

**800X
800MM**

**800X
1600MM**

**1200X
1800MM**

**1200X
1200MM**

